

S MAHESH, M.Sc. Geologist,

Gracc Nilaya Devanoor, S.S. Puram, Tumkur.

Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 9/11/23

01

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 ,bytarayanapura bagalur main road , Kuvempu nagara ,kattigenahalli bangalore ,Om sai circle Munianjinappa layout,Near munianjinappa house ,Near muneshwara temple road
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	350-360 Rmt
06. Approximate Casing Pipe	50-60 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1500-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Gracc Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867


REPORT ON GROUND WATER INVESTIGATION

DATE: 9/11/23


02

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no byatarayanapura,# KATTIGENAHALLI, DODDAMMA DEVI TEMPLE ROAD ,Someshwara layout Near ramaiah House point 2
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	340-350 Rmt
06. Approximate Casing Pipe	40-50 Rmt
07. PVC Pipe	15-25 Rmt
08. Expected Yield	1200-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure






S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867


REPORT ON GROUND WATER INVESTIGATION

DATE: 9/11/23

03

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 B byatarayanapura , bellahalli lake road,kannaru main road yelanaka opp to masjid
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	10-20 Rmt
08. Expected Yield	1000-1200 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S. MAHESH, M.Sc. Geologist
Grace Nilaya Devanoor, S.S. Puram, Tumkur.


S. MAHESH, M.Sc. Geologist
Grace Nilaya Devanoor, S.S. Puram, Tumkur.


S. MAHESH, M.Sc. Geologist

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 9/11/23

04

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 byatarayanapura , Vinayaka Ngara, 1 st cross , bagalur main road bangalore , near cm ladies p g and narsaiaya house `
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	370-380 Rmt
06. Approximate Casing Pipe	60-70 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1500-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

[Handwritten signature]
S. Mahesh, M.Sc.
Geologist

[Handwritten signature]
S. Mahesh, M.Sc.
Geologist

[Handwritten signature]
S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,

Gracc Nilaya Devanoor, S.S. Puram, Tumkur.

Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 9/11/23

05

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 bytarayanapura green land layout, Bellahalli village ,kannur main road
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1000-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

[Handwritten signature and stamp]

[Handwritten signature and stamp]

S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 10/11/23

06

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 byatarayanapura VINAYAKA Nagra 4 th cross ,Near Dr sureshh House ,bagalur main road
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	365-375 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	10-20 Rmt
08. Expected Yield	1500-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

[Handwritten signature]
S. Mahesh, M.Sc.
Geologist

[Handwritten signature]
S. Mahesh, M.Sc.
Geologist

[Handwritten signature]
S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,

Grace Nilaya Devanoor, S.S. Puram, Tumkur.

Mobile: 9945003867


REPORT ON GROUND WATER INVESTIGATION

DATE: 10/6/23

07

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 149, ex servicemen layout, 2nd cross dead end, near House number 33 near gunjurpalya main road
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	290-300 Rmt
06. Approximate Casing Pipe	60-70 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	2000-2500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867


REPORT ON GROUND WATER INVESTIGATION

DATE: 10/11/23

08

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 bytarayanapura, Suryaodhya layout, 8 th cross, Hegade nagara , Shivaram karanth Layout,
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	10-20 Rmt
08. Expected Yield	1000-1200 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Gracc Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 10/11/23

10

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 , bytarayanapura , 3 rd main road Dwarka nagra kattigenahlli, Bagalur main road , Near prabha Krishna House raod , banglaore 560064
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1200-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failur

[Handwritten signature]
ಶ್ರೀಮತಿ. ಕರ್ತವ್ಯಾಚಾರ್ಯ
ಬಿ.ಬಿ.ಎಂ.ಪುರಂ, ಬೆಂಗಳೂರು-56

[Handwritten signature]
ಶ್ರೀಮತಿ. ಕರ್ತವ್ಯಾಚಾರ್ಯ
ಬಿ.ಬಿ.ಎಂ.ಪುರಂ, ಬೆಂಗಳೂರು-56

[Handwritten signature]
S Mahesh, A.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867


REPORT ON GROUND WATER INVESTIGATION

DATE: 11/11/23

11

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 byatarayanapura , Thirumenahalli, 7 th cross road, Near thirumanehalli lake raod, Near school,
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	400-410 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	5-10 Rmt
08. Expected Yield	1000-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being fallure


ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಧೀಕ್ಷಕರು
ಜಲಮಾಲೀಕರಣ ಮತ್ತು ಮಣ್ಣು ಇಲಾಖೆ
ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ


ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಧೀಕ್ಷಕರು
ಜಲಮಾಲೀಕರಣ ಮತ್ತು ಮಣ್ಣು ಇಲಾಖೆ
ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 11/11/23

12

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 byatarayanapura Kattiganahalli, Pojappa layout , Palanahalli Main road Near manjunatha Gowdon
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	330-340 Rmt
06. Approximate Casing Pipe	60-70 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1200-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

[Handwritten signature]
ಸಹಾಯಕ ಮಹಾನಗರಾಧಿಕಾರಿ
ಬಿ.ಬಿ.ಎ. ಪುರಂ, ತುಮಕುರು-೭೬

[Handwritten signature]
ಸಹಾಯಕ ಮಹಾನಗರಾಧಿಕಾರಿ
ಬಿ.ಬಿ.ಎ. ಪುರಂ, ತುಮಕುರು-೭೬

[Handwritten signature]
S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 11/11/23

13

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 , bytarayanapura , SIRINAGRA LAYOUT, IAF reva College Circle, Kattigenahalli
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	310-320 Rmt
06. Approximate Casing Pipe	40-50 Rmt
07. PVC Pipe	10-20 Rmt
08. Expected Yield	2400-3000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
Geologist
D. No. 5, Devanoor-24


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867


REPORT ON GROUND WATER INVESTIGATION

DATE: 11/11/23

14

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 , bytarayanapura, M S Nagara Thirmenahalli Agrahara Layout main road
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	320-330 Rmt
06. Approximate Casing Pipe	40-50 Rmt
07. PVC Pipe	240-250 Rmt
08. Expected Yield	2400-2800 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,

Gracc Nilaya Devanoor, S.S. Puram, Tumkur.

Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 11/11/23

15

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 byatarayanapura, #Chokanahalli Village ,Near Venkatesh House ,Near lake and water plant ,
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	330-340 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	2000-2500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

[Handwritten signature]
ಸಹಕಾರಿ ಮಂತ್ರಿಗಳ ಸಂಘ
ಬಿ.ಎಂ.ಪಿ. ಮೈಸೂರು ನಗರ ಸಿಟಿ

[Handwritten signature]
ಸಹಕಾರಿ ಮಂತ್ರಿಗಳ ಸಂಘ
ಬಿ.ಎಂ.ಪಿ. ಮೈಸೂರು ನಗರ ಸಿಟಿ
ಬಿ.ಎಂ.ಪಿ. ಮೈಸೂರು-24

[Handwritten signature]
S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION


DATE: 12/11/23

16

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W no 5, byatarayanapura ,#Suryaodhya layout,3 rd Cross Hegadenagra ,Shivram Karanth Layout,
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	15-20 Rmt
08. Expected Yield	1000-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


Sd/- **S. Mahesh**
Geologist
Byatarayanapurapura division
BBMP, Tumkur


Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Gracc Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 12/11/23

17

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W no 5 Kattigenahalli ,Pojappa layout,,Pallanahalli main road , Near gaja House,
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	380-390 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1200-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

[Handwritten signature]
S. Mahesh, M.Sc.
Geologist

[Handwritten signature]
S. Mahesh, M.Sc.
Geologist

[Handwritten signature]
S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Gracc Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867


DATE: 12/11/23


REPORT ON GROUND WATER INVESTIGATION

18

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 ,Chokanahalli,Chokanahalli Circle,sampigehalli gate,Chokanahalli Village bangalore
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	350-360 Rmt
06. Approximate Casing Pipe	25-35 Rmt
07. PVC Pipe	10-20 Rmt
08. Expected Yield	1500-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
Geologist


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 12/11/23

19

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 5 byatarayanapura ITTAGI FACTORY KOGLIU TO BELLAHALLI ROAD NEAR SHAMAS SCHOOL BACK SIDE ROAD
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	15-20 Rmt
08. Expected Yield	1200-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

DATE: 12/11/23

REPORT ON GROUND WATER INVESTIGATION

20

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 5 , bytarayanapura yelanka #103 1 st cross road balaji layout ,Agrahara badavane
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	320-330 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	15-25 Rmt
08. Expected Yield	2500-3000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

ಶಾಂತಿ ಸಾಂಕರ್ಷಿಕೆ ಅಧಿಕಾರಿರು
ಬಿ.ಬಿ.ಎ.ಎ. ಅಧಿಕಾರಿರು ಸಹ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎ.ಎ. ಬಾಗಲಕೋಟೆ-24

ಶಾಂತಿ ಸಾಂಕರ್ಷಿಕೆ ಅಧಿಕಾರಿರು
ಬಿ.ಬಿ.ಎ.ಎ. ಅಧಿಕಾರಿರು ಸಹ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎ.ಎ. ಬಾಗಲಕೋಟೆ-24


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Gracc Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 13/11/23

21

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6 ,#40 Near anjanaputra house PRASHANTI NAGRA 2nd cross K Narayanapura Raod ,R K Nagara ,
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	320-330 Rmt
06. Approximate Casing Pipe	50-60 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1600-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

(Handwritten signature)
ಶ್ರೀಮತಿ ಸುಷ್ಮಿತಾ ಎಸ್. ಎಸ್. ಶರಣ್
ಜಿ.ಎ.ಎಸ್. ಸುಷ್ಮಿತಾ ಎಸ್. ಎಸ್. ಶರಣ್
ಜಿ.ಎ.ಎಸ್. ಸುಷ್ಮಿತಾ ಎಸ್. ಎಸ್. ಶರಣ್
ಜಿ.ಎ.ಎಸ್. ಸುಷ್ಮಿತಾ ಎಸ್. ಎಸ್. ಶರಣ್

(Handwritten signature)
S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 13/11/23

22

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6, byatarayanapura , Tanisandra govt school, Rachenahalli main road , Near Govt school, Opposite to Teraj Apartment
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	380-390 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1200-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

ಸಹಾಯಕ ಅಧೀಕ್ಷಕರು
ಬಿ.ಬಿ.ಎ. ಪುರಸಭೆ ಸಹ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎ. ಪುರಸಭೆ-೨೩

ಸಹಾಯಕ ಅಧೀಕ್ಷಕರು
ಬಿ.ಬಿ.ಎ. ಪುರಸಭೆ ಸಹ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎ. ಪುರಸಭೆ-೨೩


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 13/11/23

23

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 6 Abzellu layout ,Sairpalaya
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	390-400 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	10-20 Rmt
08. Expected Yield	1000-1200 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

27
ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ದೃಢೀಕರಣವಿಭಾಗ ಉಪ ನಿರ್ದೇಶಕರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ದೃಢೀಕರಣವಿಭಾಗ-24

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಜಿಲ್ಲಾ ಮಹಾನ್ಯಾಧೀಶರ ಉಪ ನಿರ್ದೇಶಕರು
ಜಿಲ್ಲಾ ಮಹಾನ್ಯಾಧೀಶರ-24


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 13/11/23

24

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	WNO 6, Near ramanna house, SARIA PALAYA BDA layout Tanisnadra
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	70-80 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1200-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

ಶಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಧೀಕ್ಷಕರು
ಜಿ.ಪಿ.ಎಂ.ಸಿ. ಜ್ಯೋತಿಬಸವರಾಜ್
ಜಿ.ಪಿ.ಎಂ.ಸಿ. ಬೆಂಗಳೂರು-24


S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 13/11/23

25

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6 Thanisandra Anjenya temple back side, Thanisandra circle, Near Bus stop, In front of borewell and bike garage,
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	330-340 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	15-25 Rmt
08. Expected Yield	1500-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

Handwritten signature and stamp in Kannada script.

Handwritten signature and stamp: S. Mahesh, M.Sc. GEOLOGIST

Gracc Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: ~~18/11/23~~
14/11/23

26

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6, Hegade nagara ,New Shanti nagara road,Near police quatres road and indra canteen
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	350-360 Rmt
06. Approximate Casing Pipe	30-40 Rmt
07. PVC Pipe	15-20 Rmt
08. Expected Yield	2000-2500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

ಸಹಾಯಕ ಅಧೀನಾಧಿಕಾರಿ
ರಾಜ್ಯ ಸಾರ್ವಜನಿಕ ಸೇವಾ ಇಲಾಖೆ
ಬೆಂಗಳೂರು
ದ.ದಿ.ಎಂ.ಸಿ. ಬಂಗಲೆ-೭೪

For
Mancini, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 14/11/23

27

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6 Ashwath nagara telecom layout road opposite to shell petrol bunk road ,Near pathi House
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	310-320 Rmt
06. Approximate Casing Pipe	50-60 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	2000-2500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಜಲಮಾಲೀಕರಣ ಇಲಾಖೆ
ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಜಲಮಾಲೀಕರಣ ಇಲಾಖೆ
ಬೆಂಗಳೂರು, ಮಂಗಳೂರು-74


S Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 14/11/23

28

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6 ,Near #24 house opposite 3rd cross vidya sagara layout sawmill road near Muneshwara temple Ramanna House ,Sariya palaya bangalore 45
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	40-50 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1000-1200 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

MAHESH, M.Sc.
Geologist
Tumkur

S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 14/11/23

29

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6 ,Bharath nagara ,Fish shop Road ,Dead end ,Near Ansari house
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	350-360 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	15-20 Rmt
08. Expected Yield	2500-3000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಜಿ.ಪಿ.ಎಂ.ಸಿ. ಮೈಸೂರು ನಗರ ಸಂಪನ್ಮೂಲ ಇಲಾಖೆ
ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಜಿ.ಪಿ.ಎಂ.ಸಿ. ಮೈಸೂರು ನಗರ ಸಂಪನ್ಮೂಲ ಇಲಾಖೆ
ಬಿ.ಬಿ.ಎಂ.ಸಿ. ಮೈಸೂರು-24

S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 14/11/23

30

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6 , rachanahalli Anjendari layout 8 th cross Near narshima swamy temple , Tanisandra
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	320-330 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	10-20 Rmt
08. Expected Yield	1500-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

Handwritten signatures and stamps in Kannada script, including a circular official stamp.

Handwritten signature of S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 15/11/23

31

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6, Bharat nagara ,Milk dairy raod ,Dead end right side ,Near Ro plant
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	390-400 Rmt
06. Approximate Casing Pipe	25-35 Rmt
07. PVC Pipe	15-25 Rmt
08. Expected Yield	1000-1500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

22

2017
 മലയാള സാഹിത്യ അക്കാദമി
 പ്രസിദ്ധീകരിച്ച പുസ്തകം
 2017, മാർച്ച്-24

Manesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 15/11/23

32

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	W NO 6, Anjanadri layout , 5 th cross rachanalli road tanisandra
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	360-370 Rmt
06. Approximate Casing Pipe	40-50 Rmt
07. PVC Pipe	25-35 Rmt
08. Expected Yield	1500-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure

(Handwritten signature)
ಶಾಂತಿ ಸಾಧನಾ ಸಂಸ್ಥೆ
ಶಾಂತಿ ಸಾಧನಾ ಸಂಸ್ಥೆ
ಶಾಂತಿ ಸಾಧನಾ ಸಂಸ್ಥೆ
ಶಾಂತಿ ಸಾಧನಾ ಸಂಸ್ಥೆ
ಶಾಂತಿ ಸಾಧನಾ ಸಂಸ್ಥೆ

(Handwritten signature)
S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Gracc Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION


DATE: 15/11/23


33

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	wno 6 sariaya palaya 1 st cross tanisandra
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	330-340 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	20-30 Rmt
08. Expected Yield	1800-2000 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure






S. Mahesh, M.Sc.
GEOLOGIST

S MAHESH, M.Sc. Geologist,
Grace Nilaya Devanoor, S.S. Puram, Tumkur.
Mobile: 9945003867

REPORT ON GROUND WATER INVESTIGATION

DATE: 15/11/23


34

01. Name of the Party	Executive Engineer, BBMP, Byatarayanapurapura division.
02. Location of land/Site	w no 6 Tanisandra Govt School road ,rachanahalli main road ,near dairy Fresh Bakery Amarjoythinagara
03. Purpose of Ground Water	Drinking water
04. Area	Byatarayanapura
05. Approximate Drilling Depth	350-370 Rmt
06. Approximate Casing Pipe	20-30 Rmt
07. PVC Pipe	15-20 Rmt
08. Expected Yield	2000-2500 GPH
09. Remarks	

Note: Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure


ಶಹಾಬ್ ಅಹಮದ್
ದ.ದ.ಎಂ.ಬಿ. ಮೈಸೂರು-28


ಶಹಾಬ್ ಅಹಮದ್ ಮೈಸೂರು
ದ.ದ.ಎಂ.ಬಿ. ಮೈಸೂರು-28


S. Mahesh, M.Sc.
GEOLOGIST